



www.spieshecker.es



**4600 Xtreme**  
HS










**4600 Xtreme**  
WATER



**3300 GTO**  
PRIMERS



**mini Xtreme**  
SPOT REPAIR

Primer	<p>Primat® Wash Primer 4075 Primat® 1k Wash Primer 4085</p> 			<p>Nozzle 1.4 Air cap EPA Max. Pressure 1.8 - 2.0 bar</p>	
	<p>Permasolid® Primer HS Premium 5310 Permasolid® Primer HS 5320 Permasolid® Primer HS Express 5250</p> 			<p>Nozzle 1.6-1.8 Air cap EPA Max. Pressure 1.8 - 2.0 bar</p>	
HS Primer	<p>Permasolid® Primer HS H/H 5330 Permasolid® Sealer HS H/H 5180</p> 	<p>Nozzle 1.3XL-1.4 Air cap DVR CLEAR Max. Pressure 2.0 bar</p>		<p>Nozzle 1.3-1.4 Air cap EVO Max. Pressure 2.0 - 2.5 bar</p>	<p>Nozzle 0.8-1.0 Air cap Mini Aqua Max. Pressure 1.5 - 2.0 bar</p>
	<p>Permahyd® Hi - Tec 480</p> 		<p>Nozzle 1.3-1.2 Air cap DVR Aqua Max. Pressure 1.8 - 2.0 bar</p>		<p>Nozzle 1.0 Air cap Mini Aqua Max. Pressure 1.5 bar</p>
Waterborne basecoat permahyd	<p>Permasolid® 275</p> 	<p>Nozzle 1.3XL Air cap DVR CLEAR Max. Pressure 2.0 - 2.2 bar</p>			<p>Nozzle 1.0-1.2 Air cap Mini Aqua Max. Pressure 1.5 - 2.0 bar</p>
	<p>Permasolid® Barniz HS Optimum Plus 8650</p> 	<p>Nozzle 1.3XL Air cap DVR CLEAR Max. Pressure 2.0 - 2.4 bar</p>			<p>Nozzle 1.0-1.2 Air cap Mini Aqua Max. Pressure 1.5 - 2.0 bar</p>
HS Topcoats	<p>Permasolid® HS 8034 HS 8030/8055 Diamante 8450</p> 	<p>Nozzle 1.3XL-1.4 Air cap DVR CLEAR Max. Pressure 2.0 - 2.2 bar</p>			<p>Nozzle 1.0-1.2 Air cap Mini Aqua Max. Pressure 1.5 - 2.0 bar</p>