


A PDR tool from HBC system is not just any tool!

CNC in-house tool production

HBC system)



TOOL dipping of plastic handles





All HBC tools are heat treated



Laser cutter

# PDR Systems and tools

HBC PDR tools are the best option available High quality, right tips and heat treated...




#### Bending process

## PDR production line and custom made PDR tools

The HBC system PDR production line is equipped with high-tech machinery including 3D bending machinery. The production is solely based on the latest technology and years of experience. Steel is ordered in coins from leading steel manufactures after the required steel recipe, that is needed to obtain the right strength and rust protection. When the tools leave our production, they are ready to serve the technician for decades to come.










Final result

#### **Tool Tip Types**



# PDR 600 & Equipment

#### **Handle Colours**















#### Produced by HBC system - Smarttool Production

We produce high-quality PDR tools at competitive prices. The PDR tools are available as both complete kits and as individual PDR tools. The product line includes a complete line of adjustable multi angle PDR tools and whale tail PDR tools.

### PDR smart repair tool kits and individual PDR tools

HBC system PDR tools are carefully designed for the professional PDR technician. Each tool size and design fits a logical sequence of application possibilities. Our PDR tools sets the standard for the industry practices and conditions in the automotive industry with the ergonomics and working ranges required by the dent technician.

# PDR production line and custom made PDR tools


The HBC system PDR production line is equipped with high-tech machinery including 3D bending machinery. The production is solely based on the latest technology and many years of experience. Steel is ordered in coins from leading steel manufactures after the required recipe, that is needed to obtain the right strength und rust protection. When each tool leaves our production, it is ready to serve the technician for decades to come. Test after test proves that HBC tools meet your expectations year after year.

# Custom PDR TOOL Design service. | Design you own special PDR tool


Our metal production department produces CUSTOM PDR TOOLS. You simply design your own special PDR tool and we produce it according to your exact wishes and specifications.
















# 

# PDR PROF TROLLEY For Dent Specialists

Metal cabinet Trolley
PDR rack
All necessary tools included.
System G30:
30 tools PDR kit
Slidehammer kit Proff
12V LED Dent Lamp w/ suction-cup
Tool support vacuum
Adjustable door kit 3pcs.
Whale tail tool kit 4pcs.
PDR hammer
Special T-Tool

Flat bar tool, bendable Premium sanding pads: 1500, 2000, 3000

Part no. 00.654

# PDR TROLLEY Workshop Solution

Metal cabinet Trolley
PDR rack
All necessary tools included.
System G30:
30 tools PDR kit
Slidehammer standard kit Proff
12V LED Dent Lamp w/ suction-cup
Tool support vacuum

Part no. 00.653

#### **HBC system PDR Steel**


The HBC system PDR production line uses several different kinds of high carbon steel qualities to produce our PDR tools, and multiple quality control tests have determined that our material exceeds the stainless steel tools in strength.


The high quality carbon stainless steel is a costly and hard tempered spring steel. The process of the heat treated PDR tools has been developed over years and is the highest quality in the world.



Metal laboratories and PDR technicians all over the world have performed millions of quality tests in order to ensure a production of the highest quality possible.

The PDR tools from HBC system are tested and approved by car manufacturers and PDR technicians worldwide.






# TOOLS MANUFACTUR П W $\Box$ C S

# Ū TOOLS MANUFACTUR П B I W 0 S STE

HBC system introduces a new System G Master 51 tool kit

This kit is especially designed for the PDR technician with high demands on variety of tools. It includes all basic leverage and twister tools and additional tools such as whale tail, mini twister, adjustable tools and the various (bendable) bars. All tips are made by CNC and have the same color of handle corresponding the tip of the tool. As usual all HBC tools are heat treated, needed to give them the required strength and to meet your high expectation of professional PDR tools.




Hail or parking damages will no longer be an issue with this complete 51 tools kit, but in case additional tools are required there's always a possibility to send us a drawing of the needed tools and we can produce the tool according to your specifications. Market leading car producers such as Mercedes, Porsche and Volvo have chosen HBC system PDR tools in order to have the best tools suitable for the removal of small dents in both production line as well as customer cars and second hand cars.


- As a standard all HBC system PDR tools have lifetime warranty.

#### **Complete System G - Master 51 Kit**

Part no. 00.700

01	00.415	Dent Tool 12x970mm	27	00.434	Dent tool 5 x 850mm
02	00.409	Dent Tool 10x920mm	28	00.435	Dent tool 5 x 700 mm
03	00.421	Dent Tool 6x835mm	29	13301	Whale-Tail-Tool, 150mm
04	00.416	Dent Tool 10x770mm	30	13302	Whale-Tail-Tool, 305mm
05	00.401	Dent Tool 10x685mm	31	13303	Whale-Tail-Tool, 510mm
06	00.420	Dent Tool 12x1075mm	32	13304	Whale-Tail-Tool, 660mm
07	00.410	Dent Tool 10x750mm	33	13305	Whale-Tail-Tool, 920 mm
08	00.403	Dent Tool 10x685mm	34	00.404	Dent Tool 8x765mm R
09	00.417	Dent Tool 12x985mm	35	00.412	Dent Tool 8x485mm R
10	00.430	Dent Tool 10x680mm	36	00.429	Dent Tool 6x455mm R
11	00.402	Dent Tool 10x780mm	37	00.427	Dent Tool 6x365mm R
12	00.411	Dent Tool 10x640mm	38	00.428	Dent Tool 5x190mm
13	00.418	Dent Tool 10x630mm	39	00.408	Dent Tool 5x255mm
14	00.419	Dent Tool 10x430mm	40	00.425	Dent Tool 5x180mm
15	00.407	Dent Tool 5x225mm L	41	99FB-555-30-5	Flatbar 555x30x5
16	00.432	Dent tool 5 x 340 mm	42	99FB-500-25-5	Flatbar 500x25x5mm
17	00.405	Dent Tool 6x380mm L	43	99FB-825-30-5	Flatbar 825x30x5mm
18	00.423	Dent Tool 8x560mm L	44	99FB-590-20-5	Flatbar 590x20x5mm
19	00.424	Dent Tool 8x560mm R	45	99FB-890-30-5	Flatbar 890x30x5mm
20	00.406	Dent Tool 6x380mm R	46	99FB-990-20-5	Flatbar 990x20x5mm
21	00.431	DentTool 5x340 mm	47	00.500	Door tool, type 3, 450mm
22	00.422	Dent Tool 5x225mm R	48	00.501	Door tool, type 3, 620mm
23	00.414	Dent Tool 6x160mm R	49	00.497	Door tool, type 1, 520mm
24	99S-310	Special T-Tool	50	00.499	Door tool, type 2, 620mm
25	00.413	Dent Tool 5x1150mm	51	00.498	Door tool, type 2, 450mm
26	00.433	Dent Tool 5x825mm	52	00.121	G Box, 2 pcs





#### Complete System G - Premium 30 Kit

part no. 00.400

01	00.415	Dent Tool 12x970mm	22	00.414	Dent Tool 6x160mm R
02	00.409	Dent Tool 10x920mm	23	00.413	Dent Tool 5x825mm
03	00.421	Dent Tool 6x835mm	24	00.404	Dent Tool 8x765mm R
04	00.416	Dent Tool 10x770mm	25	00.412	Dent Tool 8x485mm R
05	00.401	Dent Tool 10x685mm	26	00.429	Dent Tool 6x455mm R
06	00.420	Dent Tool 12x1075mm	27	00.427	Dent Tool 6x365mm R
07	00.410	Dent Tool 10x750mm	28	00.428	Dent Tool 5x190mm
80	00.403	Dent Tool 10x685mm	29	00.408	Dent Tool 5x255mm
09	00.417	Dent Tool 12x985mm	30	00.425	Dent Tool 5x180mm
10	00.430	Dent Tool 10x680mm	31	00.450	Hooks : Flat, Round & Small
11	00.402	Dent Tool 10x780mm	32	00.454	K ratchet
12	00.411	Dent Tool 10x640mm	33	00.444	Jammer
13	00.418	Dent Tool 10x630mm	34	00.441	Hood Support 2 stage teleskope
14	00.419	Dent Tool 10x430mm	35	00.442	Mastic Cutter 12"
15	00.426	Dent Tool 5x315mm R	36	00.446	Knock down punch (Flat)
16	00.407	Dent Tool 5x225mm L	37	00.447	Knock down punch (Round)
17	00.427	Dent Tool 6x365mm R	38	00.448	Knock down punch (Normal)
18	00.425	Dent Tool 5x180mm	39	00.443	Hood pad clip remover
19	00.428	Dent Tool 5x190mm	40	00.449	Window Wedge
20	00.408	Dent Tool 5x255mm	41	00.445	Window Guard
21	00.422	Dent Tool 5x225mm R	42	00.121	G Box

# G-Magnetic & PDR - 16 PDR Tool Kit


C	Complete System G - Magnetic & PDR 16 Kit Part no. 13.981						
01	00.401	Dent Tool 10x685mm	15	00.406	Dent Tool 6x380mm R		
02	00.410	Dent Tool 10x750mm	16	00.408	Dent Tool 5x255mm		
03	00.411	Dent Tool 10x640mm	17	00.446	Knock down punch (Flat)		
04	00.402	Dent Tool 10x780mm	18	00.447	Knock down punch (Round)		
05	00.403	Dent Tool10x685mm	19	00.448	Knock down punch (Normal)		
06	00.413	Dent Tool 5x825mm	20	00.454	K-Ratchet		
07	99-890	Bendable flat bar, 30mm-5mm	21	00.449	Window Wedge		
08	13999	Magnetic PDR Tool	22	00.450	Hooks : Flat, Round & Small		
09	13304	Whale-Tail-Tool, 660mm	23	00.444	Jammer		
10	00.404	Dent Tool 8x765mm R	24	13980	Tool Support		
11 0	00.412	Dent Tool 8x485mm R	25	00.441	Hood Support		
12	00.405	Dent Tool 6x380mm L	26	00.442	Mastic Cutter 12"		
13	00.407	Dent Tool 5x225mm L	27	00.445	Window guard		
14	00.414	Dent Tool 6x160mm R	28	00.121	G-Box		



# G-Basic - 14 PDR Tool Kit

	Comple	te System G - Basic 14 k	<b>Cit</b>	<b>P</b> art n	o. 00.399  Dent Tool 5x255mm  Knock down punch (Flat)	, en
01	00.401	Dent Tool 10x685mm	14	00.408	Dent Tool 5x255mm	Systo
02	00.410	Dent Tool 10x750mm	15	00.446	Knock down punch (Flat)	-1-1
03	00.411	Dent Tool 10x640mm	16	00.447	Knock down punch (Round)	
04	00.402	Dent Tool 10x780mm	17	00.448	Knock down punch (Normal)	
05	00.403	Dent Tool10x685mm	18	00.454	K-Ratchet	
06	00.413	Dent Tool 5x825mm	19	00.443	Hood pad clip remover	
07	00.409	Dent Tool 10x920mm	20	00.449	Window Wedge	
08	00.404	Dent Tool 8x765mm R	21	00.450	Hooks : Flat, Round & Small	10 L
09	00.412	Dent Tool 8x485mm R	22	00.444	Jammer	
10	00.405	Dent Tool 6x380mm L	23	00.441	Hood Support	
11	00.407	Dent Tool 5x225mm L	24	00.442	Mastic Cutter 12"	
12	00.414	Dent Tool 6x160mm R	25	00.445	Window guard	
13	00.406	Dent Tool 6x380mm R	26	00.121	G-Box	
-						

system



PDR TOOLS MANUFACTURED BY HBC SYSTEM

# **Magnetic PDR systems**







NEW Magnetic PDR Roller Tip Making PDR work work accessible to everyone. Essential training tool

#### Magnetic Get Started Part no. 13.985

complete kit including door bar and extensions for 9 bar combinations. Includes 3 bars, 2 tip sizes, suction cup line board, wedge, hooks, hammer, punch, 2 extensions, 10 surface bbs and full instructions.



#### PDR TOOLS MANUFACTURED BY HBC SYSTEM

# **G-Magnetic tool**







Magnetic PDR Roller Tip tool is a significat improvement especially in training purposes for the non-experienced PDR technician

#### Magnetic PDR Tool Part no. 13999

The training of eye-hand coordination is one of the most difficult exercises when training Paintless Dent Repair (PDR). Trainees often spend several hours or days before they can find the exact location of the tip of the tool.

HBC system has managed to find a solution for this issue by producing a PDR training tool with a magnetic tip. A steel ball on top of the panel follows the tip wherever it goes which makes it much easier to find the exact location of the tip of the tool.



#### **Technical specifications**

- Plastic handle / Black
- Heat treaded steel
- · Length 80 cm
- Ø 10mm
- · Magnetic tip system including 4pcs, steel balls
- · Ready for delivery



# Whale tails, flatbars, special tools













# Adjustable PDR tools / Accessories

#### Multi adjustable handles

The multi adjustable handles allow the technician to quickly change the working position angle. Just one simple click, and the tool is ready to operate in the new angle. The steel is our standard specially heat treated, 8 mm, durable stainless steel.



adjustable

Lift handle Twist handle <u>Click</u> in position

00.497 PDR Door tool, type 1, 570mm 00.498 PDR Door tool, type 2, 490mm 00.499 PDR Door tool, type 2, 660mm 00.500 PDR Door tool, type 3, 475mm 00.501 PDR Door tool, type 3, 620mm 00.502 Adjustable door tool kit 00.497+00.498+00.500

Type 2 L:450 mm. D:8 mm Part no. 00.498 L:620 mm. D:8 mm Part no. 00.499

> Type 3 L:450 mm D:8 mm Part no. 00.500 L: 620 mmD:8 mm Part no. 00,501

> > Type 1 L:520 mm. D 8 mm. Part no. 00.497

Multi adjustable handles






# Air Bags





# **Hammers**









#### REMOTE CONTROLLED LED

- · Adjustable colours / intensity by remote control
- Wireless PDR lamp stand
- Available as a complete PDR lamp including stand or a separate unit











#### 13.982 Slidehammer kit professional



1			
			Otlifters
		- T	
			ti:
	lidehammer kit profes	sional	11/1/
Part no.	Product description	Quant.	rers
13.975	Glue sticks yellow	5 pcs.	
13.977	Glue sticks blue	5 pcs.	
13.979	Glue sticks black	5 pcs.	
13990-2	Slidehammer type 2	1 pcs.	
13.977	Glue Gun	1 pcs.	
1405-08	Alu dent tips	1 of each size	
14009	Glue remover 60 ml	1 pcs.	
1420	Dent tips set	1 pcs.	
446 <del>-4</del> 48	Knock down punch	1 of each	
13 <b>.</b> 9 <b>9</b> 1	Rubber hammer	1 pcs.	
		•	





17.100-2 Multi-hook gripping head- 6 hooks M14x1,5



17.321943 Kit 3 green multipads Green multipads 6x22x156 spherical shape



17.321933 Kit 3 yellow multipads Yellow multipads 6x22x156 cone-shaped



17.321923 Kit 3 grey multipads Grey multipads kit 6x50x156




17.321913 Kit 3 blue multipads Blue multipads kit 6x36x156



17.321903 Kit 3 red multipads Red multipads kit 6x22x156













13.975 Glue sticks yellow



13.976 Glue sticks blue




13.978 Glue sticks brown



13.979 Glue sticks black

	Clear	Yellow	Blue	Brown	Black
Part no.	13.983	13.975	13.976	13.978	13.979
Quantity per bag	15 pcs.				
Diameter mm	12 mm	12 mm	12 mm	12 mm	12 mm
Length cm	200 mm				
Temp glue gun	195° C				
Temperature range	10 - 25° C	12 - 25° C	10 - 25° C	10 - 30° C	20 - 40° C
Adhesion	Soft	Medium	Medium	Strong	Very Strong
Need Glue remover	No	Yes	No	Yes	Yes
Cleaner of surface part no.	14009	14009	14009	14009	14009









No. 1. Dent tip soft Ø 32mm Part no. 1410



No. 7. Dent tip hard Ø 15 mm Part no. 1416



No. 2. Dent tip soft Ø 36mm Part no. 1411



No. 8. Dent tip hard Ø 20 mm Part no. 1417



No. 3. Dent tip soft Ø 40mm Part no. 1412



No. 9. Dent tip hard Ø 25 mm Part no. 1418



No. 4. Dent tip soft oval Sixe 36 x 23mm Part no. 1413











Size 41 x 28mm Part no. 1414

No. 10

No. 11

No.12

No. 13

#### **Alu Dent Tips**

The alu dent tips can be used over and over again. To obtain a firm hold it is recommended to spray a thin layer of clear coat on the tip before glueing.

	<b>Type</b> No. 10 No. 11 No. 12	Product Alu tip S Alu tip M Alu tip L	Dimension Ø 15mm Ø 20mm Ø 25mm	<b>Part no.</b> 1405 1406 1407
No. 13 Alu tip XL Ø 30mm 1408				



No. 6. Dent tip soft oval Size 50 x 34mm Part no. 1415